

ACL Reconstruction, Fibular Collateral Ligament Reconstruction



Name: _____

Dr: Benjamin Petre MD

Date: _____

● = Do exercise for that week

Week

Initial Exercises	1	2	3	4	5	6	7	8	9	10	12	16	20	24
Flexion/Extension - wall slides	●	●	●	●	●	●	●	●						
Flexion/Extension – seated	●	●	●	●	●	●	●	●						
Patella/Tendon mobilization	●	●	●	●	●	●	●	●						
Extension mobilization	●	●	●	●	●	●	●	●						
Quad series	●	●	●	●	●	●	●	●						
Hamstring												●	●	●
Sit and reach for hamstrings - gentle	●	●	●	●	●	●	●	●						
Ankle pumps	●	●	●	●	●	●	●	●	●					
Toe and heel raises							●	●						
Balance series								●	●	●	●	●	●	●
Cardiovascular Exercises	1	2	3	4	5	6	7	8	9	10	12	16	20	24
Bike/Rowing with well leg	●	●	●	●	●	●	●	●						
Bike with both legs – no resistance							●	●	●					
Bike with both legs - resistance										●	●	●	●	●
Aquajogging									●	●	●	●	●	●
Treadmill – walking 7% incline									●	●	●	●	●	●
Swimming with fins									●	●	●	●	●	●
Elliptical trainer											●	●	●	●
Rowing											●	●	●	●
Stair stepper												●	●	●
Weight Bearing Strength	1	2	3	4	5	6	7	8	9	10	12	16	20	24
Double knee bends								●	●	●	●	●	●	
Double leg bridges								●	●	●				
Reverse lunge – static hold								●	●	●				
Beginning cord exercises								●	●	●	●			
Balance squats										●	●	●	●	●
Single leg deadlift										●	●	●	●	●
Limited Leg press								●	●	●	●	●	●	●
Sports Test exercises												●	●	●
Agility Exercises	1	2	3	4	5	6	7	8	9	10	12	16	20	24
Running progression												●	●	●
Initial – single plane												●	●	●
Advance – multi directional													●	●
Functional sports test														●
High Level Activities	1	2	3	4	5	6	7	8	9	10	12	16	20	24
Golf												●	●	●
Outdoor biking, hiking, snowshoeing													●	●
Skiing, basketball, tennis, football, soccer														●

ROM RESTRICTIONS

0-90 x 2wks.

BRACE SETTINGS

0-0 x 6wks.

Weight Bearing status

NWB x 6 weeks

TIME LINES

Week 11-7POD)
 Week 2(8-14POD)
 Week 3(15-21POD)
 Week 4(22-28POD)

*Avoid posterior tibial sag, avoid tibial external rotation x 4 months.

*Hold open chain hamstring exercise x 4 months.